

We AreThe

COLLAPSIBLE

FLEXIBLE

LIQUID
storage
PEOPLE

General Compatibility List for WST Flexible Tank Materials

2-Cycle Oil	Corrosion Inhibitor
2-Cycle Outboard Marine Oil	Crude Coconut Oil
2-Ethylhexanol (Aliphatic Alcohol)	Crude Degummed Soybean Oil
Adhesive	Crude Soybean Acid Oil
Aliphatic Glycol Ether	Di (2-ethylhexyl) adipate
Alkyl Amide Propyl Betaine	Di (2-ethylhexyl) aselate
Alkyl Benzene	Di (2-ethylhexyl) phthalate
Alkyl Phenolic Glycol Ether	Di (2-ethylhexyl) sebacate
Alkylate	Di isononyl phthalate
Aluminium Polychloride	Di octyl phthalate (DOP)
Ammonium Nitrate	Di undecyl phthalate
Ammonium Polyphosphate	Dielectric Fluid
Ammonium Thiosulfate Solution	Dielectric Transformer OIL
Antifreeze	Diesel Fuel
Antiscalant	Diethylene Glycol
Apple Cider	Diethylene Glycol Butyl Ether
Apple Juice Concentrate	Ethanol Extra Neutral Alcohol
Aqua Diesel	Ethyl Alcohol (Ethanol Extra Neutral Alcohol)
Aviation Fuel	Ethyl Cyanoacetate
Balsamic Vinegar	Ethylene Glycol
Base Oil	Extended Life Coolant — Premixed 50/50

****NOTE: The information contained herein is considered accurate. However, no warranty is expressed or implied regarding the accuracy of the data, the results obtained from use thereof, or that any such use will not infringe upon any patent. This information is furnished upon condition that the person receiving it shall evaluate its suitability for the specific application.

RECOMMENDED USE: Multi-Purpose Applications, Reusable Pillow Tanks, Reusable Flexitanks

EEC Approval for FOOD Contact

www.Water-Storage-Tank.com or www.Flexi-Tanks.com



+1 (772) 646-0597 Tel

+1 (772) 589-3343 Fax

We AreThe

COLLAPSIBLE

FLEXIBLE

LIQUID
storage
PEOPLE

General Compatibility List for WST Flexible Tank Materials

Beer	Fatty Acid—Oleic Acid
Bitumen Emulsion	Fish Fertilizer
Blending Oil	Fish Oil
Bourbon	Formaldehyde
Butyl tri-Glycol	Fortified Wine
Calcium Lignosulfate Liquid	Frozen Coffee Extract
Calcium Nitrate Solution	Gasoline
Caramel	Gear Oil GX 80W-90
Castor Oil	Glucose (Liquid Sugar)
Castor Oil USP	Glycerin Concentrated 80 %
Cement	Glycerin
Chocolate	Glycerin Industrial Grade
Choline Chlorine	Glycol Ether — Low Water Grade
Choline Chloride 70%	Herbicides
Coal Tar Sealer	Humic Acid
Cocamidopropyl Betaine	Insulating Oil
Coconut Fatty Acid Distillate	Jet Fuel
Corn Syrup	Latex — Natural
Latex — Preserved Natural Rubber Concentrate	Polyethylene Glycol
Latex — Synthetic	Polyglycerine
Latex Paint	Polyglycol

****NOTE: The information contained herein is considered accurate. However, no warranty is expressed or implied regarding the accuracy of the data, the results obtained from use thereof, or that any such use will not infringe upon any patent. This information is furnished upon condition that the person receiving it shall evaluate its suitability for the specific application.

RECOMMENDED USE: Multi-Purpose Applications, Reusable Pillow Tanks, Reusable Flexitanks

EEC Approval for FOOD Contact

www.Water-Storage-Tank.com or www.Flexi-Tanks.com



+1 (772) 646-0597 Tel

+1 (772) 589-3343 Fax

We AreThe

COLLAPSIBLE

FLEXIBLE

LIQUID
storage
PEOPLE

General Compatibility List for WST Flexible Tank Materials

Latex Vinyl Acrylic	Polypropylene Glycol Industrial
Lemon Juice	Polypropylene Glycol USP
Light Liquid paraffin (USP)	Potable Water
Linear Alkyl Benzene	Premium Chicken Fat
Linear Alkyl Benzene Sulphoric Acid	Printing Ink
Liquid malt Extract	Quick Lime
Liquid Paraffin	Refined Girosol Oil
Liquid Pol-Ammonium Phosphate	Refined Glycerine, Glycerol, 1.2.3—Propanetriol
Liquid Phosphate	Refined Soybean Oil
Low Rub Premium Black Ink	Refined Winterized Corn Oil
Magnesium Brine	Refined Winterized Sunflower Oil
Methanol	Release Oil
Methyldiethanolamine	Resin-Urea/Melamine/Formaldehyde
Milk + Derivatives	Rice Vinegar
Mineral Oil — Technical Grade	SAE 15W-40 Lubricating Oil
Mineral Spirits	SAE 20W-40 Lubricating Oil
Molasses	SAE 40 Lubricating Oil
Monoethylene Glycol	Seasoning Sauce
Monopropylene Glycol	Silicon Fluid
Natural Gas Engine Oil	Sizing Agent
Octadeceny succinic Anhydride	Sodium Alkyl naphthalensulfonate

****NOTE: The information contained herein is considered accurate. However, no warranty is expressed or implied regarding the accuracy of the data, the results obtained from use thereof, or that any such use will not infringe upon any patent. This information is furnished upon condition that the person receiving it shall evaluate its suitability for the specific application.

RECOMMENDED USE: Multi-Purpose Applications, Reusable Pillow Tanks, Reusable Flexitanks

EEC Approval for FOOD Contact

www.Water-Storage-Tank.com or www.Flexi-Tanks.com



+1 (772) 646-0597 Tel
+1 (772) 589-3343 Fax

We AreThe

COLLAPSIBLE

FLEXIBLE

LIQUID
storage
PEOPLE

General Compatibility List for WST Flexible Tank Materials

Oleic Acid	Sodium Benzene Sulphonate
Olive Oil—Food Grade	Sodium Hypochlorite 10 — 16 %
Orange Juice	Sodium Lauryl Ether Sulfate
Organic Surfactant	Sodium Silicate
Palm Fatty Acid Methylene Ester	Sorbitol 70% Solution
Palm Kernel Fatty Acid Distillate	Soy Sauce
Palm Olein	Soya Lecithin
Paper Process Acid	Soybean Oil
Paraffin Drilling Fluid	Stabilized Tall Oil (Fatty Acid)
Paraffinic / Naphthenic Solvents	Styrene-Acrylic Copolymer Salt Emulsion
Phenol-Formaldehyde Resin	Surfactant
Phenyl Alkylsulfonate	Titanium Dioxide
Pineapple Concentrate	Transformer Oil
Polyalphaolefin	Triethyl Trimellitate
Polyaluminum Chloride Liquid	Triethylene Glycol
Polyether Polyol	Trimellitate Ester
Tripropylene Glycol	Walnut Salad Oil
Turbine Lubricating Oil	Waste Water
Universal Antifreeze	Water Based Adhesive — Urea Formaldehyde

****NOTE: The information contained herein is considered accurate. However, no warranty is expressed or implied regarding the accuracy of the data, the results obtained from use thereof, or that any such use will not infringe upon any patent. This information is furnished upon condition that the person receiving it shall evaluate its suitability for the specific application.

RECOMMENDED USE: Multi-Purpose Applications, Reusable Pillow Tanks, Reusable Flexitanks

EEC Approval for FOOD Contact

www.Water-Storage-Tank.com or www.Flexi-Tanks.com



+1 (772) 646-0597 Tel
+1 (772) 589-3343 Fax

We AreThe

COLLAPSIBLE

FLEXIBLE

LIQUID
storage
PEOPLE

General Compatibility List for WST Flexible Tank Materials

Urea Ammonium Nitrate Solution

Urea Formaldehyde Concentrate

Vegetable Oil

Vinegar

Vinyl Acetate Emulsion

Vinyl Acetate Ethylene Emulsion

Whiskey

White Mineral Oil

White Mineral Oil, USP

White Oil

Whole Eggs

Wine

****NOTE: The information contained herein is considered accurate. However, no warranty is expressed or implied regarding the accuracy of the data, the results obtained from use thereof, or that any such use will not infringe upon any patent. This information is furnished upon condition that the person receiving it shall evaluate its suitability for the specific application.

RECOMMENDED USE: Multi-Purpose Applications, Reusable Pillow Tanks, Reusable Flexitanks

EEC Approval for FOOD Contact

www.Water-Storage-Tank.com or www.Flexi-Tanks.com



+1 (772) 646-0597 Tel

+1 (772) 589-3343 Fax