



Corrugated Steel Water Tanks

Durable Water Storage

Made from Corrosion-Resistant Steel

Corrugated Steel Water Tanks provide quality water storage for a variety of purposes. Constructed from high-quality steel, these water storage tanks are available in a size for every need. Known for their durability and strength, corrugated steel tanks are an economical long term or temporary liquid storage option.

Corrugated Steel Tanks are made of G115 galvanized steel. The zinc coating keeps the steel from rusting, providing a longer-lasting protection. Because GEI liquid storage tanks are assembled on site, shipping is economical when compared to pre-fabricated or welded tanks.



Corrugated Steel Water Tanks

A Tank for Many Uses

Standard Features

- Corrugated Steel Sheets
- Geotextile Pre-Liner
- Fittings (PVC)
- Roof (Domed or 30 Degree)
- Roof Ladder (on 30 Degree Roof)
- NSF61 Liner
- Open top Available



Optional Features

- Filtration
- Additional Fittings
- Water Level Indicators (Standard on NFPA Tank)
- Insulation Wrap
- Immersion Heater
- Shut Off Float Valve
- Side Ladder with OSHA Cage (3 Tiers & Above)

Benefits

- Liners Allow for Potable, Non-Potable, and Waste Water Usage
- Ship with Ease
- Install on Site
- Available in Variety of Capacity
- High-Strength Construction
- Customize to Fit Application
- Withstand Harsh Environmental Conditions

Corrugated Steel Water Tanks come in a **variety of sizes**, ranging from 767 gallons to over 500,000 gallons, to serve any need. Whether the storage is for rainwater collection, irrigation, or fire protection, the needed amount of water will be readily available for usage. Common applications for corrugated water storage include:

- Rain Water Storage
- Irrigation Water Storage
- Fire Suppression
- Mining & Frac Water Storage
- Industrial Process Liquid Storage
- Potable/Non-Potable Water Storage
- Stormwater or Wastewater Treatment
- Aquaculture
- Agricultural Grey Water Storage
- Municipal Emergency Water Storage

*Customization may be necessary for non-water usage.



For more complete information on GEI Works products and solutions, visit us on the Web at www.geiworks.com.

Phone: (+1) 772-646-0597 | info@geiworks.com



Corrugated Steel Water Tanks

Installation, Warranty & Financing

Full Installation Services

GEI Works provides full installation services for customers in the U.S. and Canada and supervised installations for those outside the U.S. and Canada. (External piping is not included as a part of the installation services.)

Tanks are erected by GEI Works-approved installers on a customer-supplied foundation. A leak test should be done immediately following installation, with the customer supplying the water.

Manufacturer's Warranty

A 20-year manufacturer's warranty on all materials is available if the tank was installed with a GEI Works-approved onsite consultant or full GEI Works-approved installation service. A 1-year manufacturer's warranty is provided on material with supply-only products to clients without GEI Works approval or certified installation experts.

Easy Financing

GEI Works has partnered with JB2 Funding to provide three convenient financing options. Financing and leasing programs are available for new equipment, machinery, and DOT-compliant water trailers. Standard policy is to receive payment in advance for any customers without previous purchase history with GEI Works.

Payment Options for Customers in U.S. & Canada:

- Financing
- ACH Deposit/eCheck/Wire Transfer
- Credit Card (Visa, Mastercard, Discover Card)
- Apply for Credit Terms

International customers must pay in advance with SWIFT transfer. Credit cards must be drawn in a US bank.



© 2018 GEI Works. All rights reserved. GEI Works terms and conditions apply. All photos are representative only. Actual products may differ. Materials and specifications are subject to change without notice. Featured products in photos may include additional equipment or accessories. GEI Works, Mars, Taurus, Triton, Kraken, Orion, Helios, Centaur, Hydrostar and geiworks.com, their respective logos, product identity used herein, are trademarks of GEI Works and may not be used without permission.

For more complete information on GEI Works products and solutions, visit us on the Web at www.geiworks.com.

Phone: (+1) 772-646-0597 | info@geiworks.com

Corrugated Steel Water Tanks

Specifications

Dia. (ft)	Dia. (m)	Eave Height (ft)	Eave Height (m)	Height (ft)	Height (m)	Volume (gal)	Volume (L)
6'	1.82 m	3'8"	1.12 m	5'5"	1.65 m	767 gal	2,905 L
6'	1.82 m	7'4"	2.24 m	9'1"	2.77 m	1,535 gal	5,810 L
6'	1.82 m	11'0"	3.35 m	12'9"	3.89 m	2,302 gal	8,714 L
6'	1.82 m	14'8"	4.47 m	16'5"	5.00 m	3,069 gal	11,619 L
6'	1.82 m	18'4"	5.59 m	20'1"	6.12 m	3,837 gal	14,524 L
6'	1.82 m	22'0"	6.71 m	23'9"	7.24 m	4,604 gal	17,429 L

9'	2.73 m	3'8"	1.12 m	6'4"	1.93 m	1,727 gal	6,536 L
9'	2.73 m	7'4"	2.24 m	10'0"	3.05 m	3,453 gal	13,071 L
9'	2.73 m	11'0"	3.35 m	13'8"	4.17 m	5,180 gal	19,607 L
9'	2.73 m	14'8"	4.47 m	17'4"	5.28 m	6,906 gal	26,143 L
9'	2.73 m	18'4"	5.59 m	21'0"	6.40 m	8,633 gal	32,678 L
9'	2.73 m	22'0"	6.71 m	24'8"	7.52 m	10,359 gal	39,214 L

12'	3.64 m	3'8"	1.12 m	7'3"	2.21 m	3,069 gal	11,619 L
12'	3.64 m	7'4"	2.24 m	10'11"	3.33 m	6,139 gal	23,238 L
12'	3.64 m	11'0"	3.35 m	14'7"	4.45 m	9,208 gal	34,857 L
12'	3.64 m	14'8"	4.47 m	18'3"	5.56 m	12,278 gal	46,476 L
12'	3.64 m	18'4"	5.59 m	21'11"	6.68 m	15,347 gal	58,095 L
12'	3.64 m	22'0"	6.71 m	25'7"	7.80 m	18,416 gal	69,714 L

15'	4.55 m	3'8"	1.12 m	7'7"	2.31 m	4,796 gal	18,155 L
15'	4.55 m	7'4"	2.24 m	11'3"	3.43 m	9,592 gal	36,309 L
15'	4.55 m	11'0"	3.35 m	14'11"	4.55 m	14,388 gal	54,464 L
15'	4.55 m	14'8"	4.47 m	18'7"	5.66 m	19,184 gal	72,619 L
15'	4.55 m	18'4"	5.59 m	22'3"	6.78 m	23,980 gal	90,773 L
15'	4.55 m	22'0"	6.71 m	25'11"	7.90 m	28,776 gal	108,928 L
15'	4.55 m	25'8"	7.82 m	29'7"	9.02 m	33,572 gal	127,083 L

18'	5.46 m	3'8"	1.12 m	8'6"	2.59 m	6,906 gal	26,143 L
18'	5.46 m	7'4"	2.24 m	12'2"	3.71 m	13,812 gal	52,286 L
18'	5.46 m	11'0"	3.35 m	15'10"	4.83 m	20,719 gal	78,428 L
18'	5.46 m	14'8"	4.47 m	19'6"	5.94 m	27,625 gal	104,571 L
18'	5.46 m	18'4"	5.59 m	23'2"	7.06 m	34,531 gal	130,714 L
18'	5.46 m	22'0"	6.71 m	26'10"	8.18 m	41,437 gal	156,857 L
18'	5.46 m	25'8"	7.82 m	30'6"	9.30 m	48,343 gal	182,999 L

For more complete information on GEIWorks products and solutions, visit us on the Web at www.geiworks.com.

Phone: (1+) 772-646-0597 | info@geiworks.com

Corrugated Steel Water Tanks

Specifications

Dia. (ft)	Dia. (m)	Eave Height (ft)	Eave Height (m)	Height (ft)	Height (m)	Volume (gal)	Volume (L)
21'	6.37 m	3'8"	1.12 m	9'4"	2.84 m	9,400 gal	35,583 L
21'	6.37 m	7'4"	2.24 m	13'0"	3.96 m	18,800 gal	71,166 L
21'	6.37 m	11'0"	3.35 m	16'8"	5.08 m	28,200 gal	106,750 L
21'	6.37 m	14'8"	4.47 m	20'4"	6.20 m	37,600 gal	142,333 L
21'	6.37 m	18'4"	5.59 m	24'0"	7.32 m	47,000 gal	177,916 L
21'	6.37 m	22'0"	6.71 m	27'8"	8.43 m	56,401 gal	213,499 L
21'	6.37 m	25'8"	7.82 m	31'4"	9.55 m	65,801 gal	249,082 L
21'	6.37 m	29'4"	8.94 m	35'0"	10.67 m	75,201 gal	284,666 L

24'	7.28 m	3'8"	1.12 m	10'2"	3.10 m	12,278 gal	46,476 L
24'	7.28 m	7'4"	2.24 m	13'10"	4.22 m	24,555 gal	92,952 L
24'	7.28 m	11'0"	3.35 m	17'6"	5.33 m	36,833 gal	139,428 L
24'	7.28 m	14'8"	4.47 m	21'2"	6.45 m	49,111 gal	185,904 L
24'	7.28 m	18'4"	5.59 m	24'10"	7.57 m	61,388 gal	232,380 L
24'	7.28 m	22'0"	6.71 m	28'6"	8.67 m	73,666 gal	278,856 L
24'	7.28 m	25'8"	7.82 m	32'2"	9.80 m	85,944 gal	325,332 L
24'	7.28 m	29'4"	8.94 m	35'10"	10.92 m	98,221 gal	371,808 L

27'	8.19 m	3'8"	1.12 m	11'1"	3.38 m	15,539 gal	58,821 L
27'	8.19 m	7'4"	2.24 m	14'9"	4.50 m	31,078 gal	117,642 L
27'	8.19 m	11'0"	3.35 m	18'5"	5.61 m	46,617 gal	176,464 L
27'	8.19 m	14'8"	4.47 m	22'1"	6.73 m	62,156 gal	235,285 L
27'	8.19 m	18'4"	5.59 m	25'9"	7.85 m	77,695 gal	294,106 L
27'	8.19 m	22'0"	6.71 m	29'5"	8.97 m	93,234 gal	352,927 L
27'	8.19 m	25'8"	7.82 m	33'1"	10.08 m	108,772 gal	411,748 L
27'	8.19 m	29'4"	8.94 m	36'9"	11.20 m	124,311 gal	470,570 L
27'	8.19 m	33'0"	10.06 m	40'5"	12.32 m	139,850 gal	529,391 L

30'	9.10 m	3'8"	1.12 m	11'11"	3.63 m	19,184 gal	72,619 L
30'	9.10 m	7'4"	2.24 m	15'7"	4.75 m	38,368 gal	145,238 L
30'	9.10 m	11'0"	3.35 m	19'3"	5.87 m	57,552 gal	217,856 L
30'	9.10 m	14'8"	4.47 m	22'11"	6.99 m	76,735 gal	290,475 L
30'	9.10 m	18'4"	5.59 m	26'7"	8.10 m	95,919 gal	363,094 L
30'	9.10 m	22'0"	6.71 m	30'3"	9.22 m	115,103 gal	435,713 L
30'	9.10 m	25'8"	7.82 m	33'11"	10.34 m	134,287 gal	508,331 L
30'	9.10 m	29'4"	8.94 m	37'7"	11.46 m	153,471 gal	580,950 L
30'	9.10 m	33'0"	10.06 m	41'3"	12.57 m	172,655 gal	653,569 L

For more complete information on GEIWorks products and solutions, visit us on the Web at www.geiworks.com.

Phone: (1+) 772-646-0597 | info@geiworks.com

Corrugated Steel Water Tanks

Specifications

Dia. (ft)	Dia. (m)	Eave Height (ft)	Eave Height (m)	Height (ft)	Height (m)	Volume (gal)	Volume (L)
33'	10.01 m	3'8"	1.12 m	12'4"	3.76 m	23,212 gal	87,869 L
33'	10.01 m	7'4"	2.24 m	16'0"	4.88 m	46,425 gal	175,737 L
33'	10.01 m	11'0"	3.35 m	19'8"	5.99 m	69,637 gal	263,606 L
33'	10.01 m	14'8"	4.47 m	23'4"	7.11 m	92,850 gal	351,475 L
33'	10.01 m	18'4"	5.59 m	27'0"	8.23 m	116,062 gal	439,344 L
33'	10.01 m	22'0"	6.71 m	30'8"	9.35 m	139,275 gal	527,212 L
33'	10.01 m	25'8"	7.82 m	34'4"	10.46 m	162,487 gal	615,081 L
33'	10.01 m	29'4"	8.94 m	38'0"	11.58 m	185,700 gal	702,950 L
33'	10.01 m	33'0"	10.06 m	41'8"	12.70 m	208,912 gal	790,818 L

36'	10.91 m	3'8"	1.12 m	13'2"	4.01 m	27,625 gal	104,571 L
36'	10.91 m	7'4"	2.24 m	16'10"	5.13 m	55,249 gal	209,142 L
36'	10.91 m	11'0"	3.35 m	20'6"	6.25 m	82,874 gal	313,713 L
36'	10.91 m	14'8"	4.47 m	24'2"	7.37 m	110,499 gal	418,284 L
36'	10.91 m	18'4"	5.59 m	27'10"	8.48 m	138,124 gal	522,855 L
36'	10.91 m	22'0"	6.71 m	31'6"	9.60 m	165,748 gal	627,426 L
36'	10.91 m	25'8"	7.82 m	35'2"	10.72 m	193,373 gal	731,997 L
36'	10.91 m	29'4"	8.94 m	38'10"	11.84 m	220,998 gal	836,568 L
36'	10.91 m	33'0"	10.06 m	42'6"	12.95 m	248,623 gal	941,139 L

39'	11.82 m	3'8"	1.12 m	14'1"	4.29 m	32,421 gal	122,726 L
39'	11.82 m	7'4"	2.24 m	17'9"	5.41 m	64,841 gal	245,451 L
39'	11.82 m	11'0"	3.35 m	21'5"	6.53 m	97,262 gal	368,177 L
39'	11.82 m	14'8"	4.47 m	25'1"	7.65 m	129,683 gal	490,903 L
39'	11.82 m	18'4"	5.59 m	28'9"	8.76 m	162,104 gal	613,629 L
39'	11.82 m	22'0"	6.71 m	32'5"	9.88 m	194,524 gal	736,354 L
39'	11.82 m	25'8"	7.82 m	36'1"	11.00 m	226,945 gal	859,080 L
39'	11.82 m	29'4"	8.94 m	39'9"	12.12 m	259,366 gal	981,806 L
39'	11.82 m	33'0"	10.06 m	43'5"	13.23 m	291,786 gal	1,104,532 L

42'	12.73 m	3'8"	1.12 m	14'11"	4.55 m	37,600 gal	142,333 L
42'	12.73 m	7'4"	2.24 m	18'7"	5.66 m	75,201 gal	284,666 L
42'	12.73 m	11'0"	3.35 m	22'3"	6.78 m	112,801 gal	426,998 L
42'	12.73 m	14'8"	4.47 m	25'11"	7.90 m	150,401 gal	569,331 L
42'	12.73 m	18'4"	5.59 m	29'7"	9.02 m	188,002 gal	711,664 L
42'	12.73 m	22'0"	6.71 m	33'3"	10.13 m	225,602 gal	853,997 L
42'	12.73 m	25'8"	7.82 m	36'11"	11.25 m	263,202 gal	996,330 L
42'	12.73 m	29'4"	8.94 m	40'7"	12.37 m	300,803 gal	1,138,662 L
42'	12.73 m	33'0"	10.06 m	44'3"	13.49 m	338,403 gal	1,280,995 L

For more complete information on GEI Works products and solutions, visit us on the Web at www.geiworks.com.

Phone: (+) 772-646-0597 | info@geiworks.com

Corrugated Steel Water Tanks Specifications

Dia. (ft)	Dia. (m)	Eave Height (ft)	Eave Height (m)	Height (ft)	Height (m)	Volume (gal)	Volume (L)
48'	14.55 m	3'8"	1.12 m	16'8"	5.08 m	49,111 gal	185,904 L
48'	14.55 m	7'4"	2.24 m	20'4"	6.20 m	98,221 gal	371,808 L
48'	14.55 m	11'0"	3.35 m	24'0"	7.32 m	147,332 gal	557,712 L
48'	14.55 m	14'8"	4.47 m	27'8"	8.43 m	196,443 gal	743,616 L
48'	14.55 m	18'4"	5.59 m	31'4"	9.55 m	245,553 gal	929,520 L
48'	14.55 m	22'0"	6.71 m	35'0"	10.67 m	294,664 gal	1,115,424 L
48'	14.55 m	25'8"	7.82 m	38'8"	11.79 m	343,775 gal	1,301,328 L
48'	14.55 m	29'4"	8.94 m	42'4"	12.90 m	392,885 gal	1,487,232 L
48'	14.55 m	33'0"	10.06 m	46'0"	14.02 m	441,996 gal	1,673,137 L

Corrugated Steel Tanks can be constructed to hold up to 1,000,000 gallons. For information on greater sizes, contact us at: (1+) 772-646-0597 or info@geiworks.com. You can also request a quote.

For more complete information on GEIWorks products and solutions, visit us on the Web at www.geiworks.com.

