

DT Diesel Trailer

Features

- Dished Flanged Ends
- Baffle System
- Visible While Backing
- Tank Is Compatible For Use With Class 3 Combustible Materials
- Unit Is Manufactured For Farm Use



DESCRIPTION

- | | | | |
|---|---|---|--|
| <ul style="list-style-type: none">• 500 Gallon Tank With Dished Ends• Two 3,500-lb Axles• Electric Brakes on One Axle• Tank Made of 10-ga. Steel With Baffle• 7,000-lb G.V.W.R. | <p>500-Gal. Diesel Fuel Trailer</p> <ul style="list-style-type: none">• 12-Volt, 20-gpm Pump• Tires: 205-75R15 (or Equivalent)• Forged 2-5/16-in. Coupler• Safety Chains• Swivel Jack• Lockable Steel Battery/ | <p>Equipment Storage Box</p> <ul style="list-style-type: none">• Diamond Plate HD Fenders• Brake & Tail Lights• Equipped For Battery• 4-in. Channel Frame• Powder Coated Finish• Particle & Water Filter | <ul style="list-style-type: none">• Fuel Gauge• Vented Filler Cap• 4 Placards Included• Dry Weight: 1060 lb• 146in L x 81in W x 70in H |
|---|---|---|--|

ADD-ON EQUIPMENT

DESCRIPTION

- Hose Reel w/ 1-in. Plumbing & 25ft Hose for 20-GPM Setup
- Hose Reel w/ 1-in. Plumbing & 50ft Hose for 20-GPM Setup

OPTIONAL EQUIPMENT

DESCRIPTION

- Electric Brakes - (Both Axles) w/ Breakaway Switch
- High Volume Gas-Powered Pump
- DEF 55 Gal. Tank w/Pump, Hose, and Nozzle. Installation included.
- Tuthill Mechanical Meter With Plumbing

DT Diesel Trailer

Features

- Dished Flanged Ends
- Dual Baffle System
- Visible While Backing
- Tank Is Compatible For Use With Class 3 Combustible Materials
- Unit Is Manufactured For Farm Use



Powder Coat Choices



DESCRIPTION

1000-Gal. Diesel Fuel Trailer

- 1000 Gallon Tank With Dished Ends
- Two 6,000-lb Axles
- Electric Brakes on One Axle
- Tank Made of 3/16-in. Plate Steel With 2 Baffles
- 12,000-lb G.V.W.R.
- 12-Volt, 20-gpm Pump
- Tires: 235-80R16 (or Equivalent)
- Forged 2-5/16-in. Coupler
- Safety Chains
- Swivel Jack
- Diamond Plate HD Fenders
- Lockable Battery/Storage Box
- Brake & Tail Lights
- Equipped For Battery
- 6-in. Channel Frame
- Powder Coated Finish
- Particle & Water Filter
- Fuel Gau
- Vented Filler Cap
- 4 Placards Included
- Dry Weight: 2565 lb
- 172in L x 81in W x 88in H

ADD-ON EQUIPMENT

DESCRIPTION

- Hose Reel w/ 1-in. Plumbing & 25ft Hose for 20-GPM Setup
- Hose Reel w/ 1-in. Plumbing & 50ft Hose for 20-GPM Setup

OPTIONAL EQUIPMENT

DESCRIPTION

- Electric Brakes - (Both Axles) w/ Breakaway Switch
- High Volume Gas-Powered Pump
- DEF 55 Gal. Tank w/Pump, Hose, and Nozzle. Installation included.
- Mechanical Meter With Plumbing

D.O.T. Diesel Trailer

Features

- Constructed To Meet D.O.T. Structural Requirements For Class 3 Combustible Materials
- Dished Flanged Ends
- Baffle System
- Visible While Backing



MODEL

DESCRIPTION

DOT500

500-Gal. Diesel Fuel Trailer

- 500 Gallon Tank with Dished Ends
- 7,000-lb G.V.W.R.
- Two 3,500-lb Axles
- Electric Brakes (2 Axles) & Breakaway Switch
- Tank Made of 10-ga. Steel With Baffle
- 12-Volt, 20-gpm Fuel Pump
- Trailer Frame Made Of Rectangular Tubing
- Lockable Battery/Storage Box
- Tires: 205-75R15 (or Equivalent)
- Forged 2-5/16-in. Coupler
- Powder Coated Finish
- Particle & Water Filter
- Safety Chains
- Fuel Gauge
- Vented Filler Cap
- Lighting
- Swivel Jack
- Diamond Plate HD Fenders
- Equipped For Battery
- 4 Placards Included
- Dry Weight: 1878 lb
- 150in L x 81in W x 77in H

ADD-ON EQUIPMENT

DESCRIPTION

Hose Reel w/ 1-in. Plumbing & 25ft Hose for 20-GPM Setup

Hose Reel w/ 1-in. Plumbing & 50ft Hose for 20-GPM Setup

OPTIONAL EQUIPMENT

DESCRIPTION

DEF 55 Gal. Tank w/Pump, Hose, and Nozzle. Installation included.

Mechanical Meter With Plumbing

D.O.T. Diesel Trailer

Features

- Constructed To Meet D.O.T. Structural Requirements For Class 3 Combustible Materials
- Dished Flanged Ends
- Baffle System
- Visible While Backing



MODEL

DESCRIPTION

1000-Gal. Diesel Fuel Trailer

- | | | |
|--|--|--|
| <ul style="list-style-type: none"> • 1000 Gallon Tank With Dished Ends • 12,000-lb G.V.W.R. • Two 6,000-lb Axles • Electric Brakes (2 Axles) & Breakaway Switch • Tank Made of 3/16-in. Plate Steel with Baffle • 12-Volt, 20-gpm Pump | <ul style="list-style-type: none"> • Trailer Frame Made Of 6 in. Channel • Lockable Battery/Storage Box • Tires: 235-80R16 (or Equivalent) • Forged 2-5/16-in. Coupler • Powder Coated Finish • Particle & Water Filter • Safety Chains • Fuel Gauge | <ul style="list-style-type: none"> • Vented Filler Cap • Lighting • Swivel Jack • Diamond Plate HD Fenders • Equipped For Battery • 4 Placards Included • Dry Weight 3200 lb • 178in L x 85in W x 90in H |
|--|--|--|

ADD-ON EQUIPMENT

DESCRIPTION

Hose Reel w/ 1-in. Plumbing & 25ft Hose for 20-GPM Setup

Hose Reel w/ 1-in. Plumbing & 50ft Hose for 20-GPM Setup

OPTIONAL EQUIPMENT

DESCRIPTION

DEF 55 Gal. Tank w/Pump, Hose, and Nozzle. Installation included
Mechanical Meter With Plumbing